



TYM
TRACTORS

**MADE TOUGH FOR
HARD YAKKA**

**NEED
HELP WITH
FINANCE?**

Ask your local
TYM dealer today!



QualityMade reflects the quality and generous features of the tractors built by TYM of Korea, providing quality manufacturing for over 70 years. Experience a TYM Quality Made tractor at great value.

TYM TRACTORS AUSTRALIA

MADE TOUGH FOR HARD YAKKA!

Available in a range of models including manual, hydrostatic and forward/reverse power shuttle transmissions, ROPS and cabin with a 4-in-1 loader or backhoe, we have a tractor to suit your needs. Our network of friendly dealers across Australia will provide you with a quality new tractor and assist you with servicing, leaving you to get down to business and get the hard yakka done.



T194 HST 4WD ROPS

-  19 hp Yanmar diesel
-  3000 RPM
-  2 range HST
-  12.5 km/h
-  650 kg tractor
-  Push button PTO

- Yanmar diesel engine, a global manufacturer for quality, reliability and support
- 19 horsepower, 993 cc
- Auto throttle control
- Hydrostatic (HST) transmission
- 3-point linkage with 499 kg lift capacity @BE for a large range of attachments
- 4WD - simple and easy to use
- Flat operator's platform - unobstructed access
- Easy bonnet opening for access to service points
- Quick detach 4-in-1 loader and mid mount mower option available



QUICK
WALKTHROUGH
VIDEO



YANMAR ENGINE



FLAT FLOOR



OPTIONAL MID MOWER



4-IN-1 LOADER

SCAN FOR SPECIALS



SUB COMPACT TRACTORS



TS25 HST 4WD ROPS

24.3 hp Yanmar diesel
 3000 RPM
 2 range HST
 14.1 km/h
 755 kg tractor
 Push button PTO

- Yanmar engine, a global manufacturer for quality, reliability and support
- 1,116 cc diesel engine for more torque
- Cruise control
- Auto throttle
- Hydrostatic (HST) transmission with side-by-side forward/reverse pedals for ease of operation
- Multidisc push button PTO for smooth engagement
- 600 kg 3-point linkage lift capacity @BE
- Wide wheel track for stability
- Heavy duty construction 755 kg
- Optional front end loader, backhoe or mid mount mower



YANMAR ENGINE



FOLDING ROPS



SIDE-BY-SIDE HST



OPTIONAL MID MOWER

SCAN FOR SPECIALS



HOW DOES TS25 STACK UP?

THE BEST SPECIFICATIONS

ENGINE

	TYM TS25	KIOTI CS 2610	JD 1023E	KUBOTA BX2380
Japanese diesel engine	Yes	No	Yes	Yes
Horsepower	24.3	24.5	21.5	23
@ Engine RPM	3000	3000	3200	3200
Auto throttle control	Yes	No	No	No
Engine cubic capacity	1116	1007	993	898
Cruise control	Yes	Optional	Yes	Yes

TRANSMISSION - DRIVELINE

	TYM TS25	KIOTI CS 2610	JD 1023E	KUBOTA BX2380
Side-by-side HST pedals	Yes	Yes	Yes	No
Maximum forward speed (km/h on industrial tyres)	14.1	14.1	14.6	13
Large industrial tyres 20x8-10 27x12.5-15	Yes	No	No	No
Wheelbase (mm)	1460	1400	1450	1400
Tractor weight (kg)	755	675	610	660

LINKAGE PTO HYDRAULICS

	TYM TS25	KIOTI CS 2610	JD 1023E	KUBOTA BX2380
Hydraulic system total flow (l/min)	26	24.6	24.5	23.5
Hydraulic remotes	Optional	Optional	Optional	Optional
Hydraulic lift capacity kg @BE	600	318 @ 24"	534	550

FRONT END LOADER

	TYM TS25	KIOTI CS 2610	JD 1023E	KUBOTA BX2380
4-in-1 bucket width	1240	-	-	1219
Rated operating load (kg)	300	-	-	145

and the winner is...

13/16

3/16

4/16

2/16


Competitor Analysis E&OE

COMPACT TRACTORS

T265 ROPS COMPACT ON STEROIDS!

-  24.5 hp TYM diesel
-  2600 RPM
-  2 range HST
-  16 km/h
-  865 kg tractor
-  Push button PTO


- TYM 1,175 cc engine with class leading torque and low NVH
- Push button cruise control
- Hydrostatic (HST) transmission with side-by-side forward/reverse pedals for easy control
- Push button PTO
- Turning brakes
- 700 kg 3-point linkage lift capacity @BE
- Large heavy duty industrial tyres for versatility
- Folding ROPS for low access areas
- Integrated loader joystick allows access from either side



TYM ENGINE



HST PEDALS



LOADER JOYSTICK



ACCESS



QUICK
WALKTHROUGH
VIDEO



SCAN FOR SPECIALS

AUTO THROTTLE | FEEL THE DIFFERENCE

EASY DRIVING WITH AUTO THROTTLE

The **AUTO THROTTLE** links the HST pedals to the engine throttle to synchronise the tractor's speed and engine RPM.

This simplifies operation allowing the operator to have one hand on the tractor's steering wheel and one on the loader joystick.

There's plenty of oil flow for implements and attachments with two separate hydraulic systems, delivering improved productivity and fuel consumption.

Call us now to check stock availability and ask about our range of Auto Throttle Control tractors. Making tractor life even easier!

Standard on T194, TS25, T265 and T413 HST tractors.



T265 TRACTOR, LOADER & BACKHOE

 24.5 hp TYM diesel  2600 RPM

 2 range HST

 16 km/h

 1625 kg

 Push button PTO

- 700 kg 3-point linkage lift capacity @BE
- Independent seat for backhoe
- Subframe mount for greater strength
- 2,872 mm reach from centre line pivot
- 1,938 mm digging depth
- Angle from departure – 25 degrees
- Folding ROPS for low access areas
- Heavy duty construction 1625 kg



GRILLE



INDEPENDENT SEAT



WORKING



BACKHOE

SCAN FOR SPECIALS



HOW DOES T265 STACK UP?

THE BEST SPECIFICATIONS

ENGINE

	TYM T265	KIOTI CS 2610	JD 1025R	KUBOTA BX2680
Horsepower	24.5	24.5	24.2	25.5
@ Engine RPM	2600	3200	3200	3200
Auto throttle control	Yes	No	No	No
Engine cubic capacity	1175	1007	1267	1001
Push button cruise control	Yes	Optional	Yes	Yes

TRANSMISSION - DRIVELINE

	TYM T265	KIOTI CS 2610	JD 1025R	KUBOTA BX2680
Turning brakes on left hand side	Yes	No	No	No
Side-by-side HST pedals	Yes	Yes	Yes	No
Maximum forward speed (km/h)	16	16	14.6	13.5
23x8.5-12-12x16.5 industrial tyres standard with valve guarding	Yes	No	No	No
Tractor weight (kg)	865	675	655	670

LINKAGE PTO HYDRAULICS

	TYM T265	KIOTI CS 2610	JD 1025R	KUBOTA BX2680
Hydraulic system total flow (l/min)	27	24.6	24	23.5
Hydraulic remotes	Yes	Optional	Optional	Optional
Hydraulic lift capacity kg @ (610 mm)	500	318	309	310
External linkage stabiliser adjustable arms	Yes	No	Yes	No
Wheelbase width/length (mm)	1342/1480	1188/1400	1202/1450	

FRONT END LOADER

	TYM T265	KIOTI CS 2610	JD 1025R	KUBOTA BX2680
Integrated loader joystick with trigger 3 rd function control, quick release bucket	Yes	No	No	No
Rated operating load (kg)	300	-	-	170

and the winner is...

15/17

2/17

4/17

2/17

Competitor Analysis E&OE

COMPACT PLUS TRACTORS

T413 HST 4WD ROPS

 38.4 hp Yanmar diesel

 3000 RPM

 3 range HST

 27 km/h

 1390 kg tractor

 Auto PTO

- Yanmar engine, a global manufacturer for quality, reliability and support
- Auto throttle control
- 3 range hydrostatic transmission
- 3-point linkage with 1200 kg lift capacity @BE for a large range of attachments
- 4WD - simple and easy to use
- Flat operator's platform – unobstructed access
- Easy one piece bonnet opening for access to service points
- Quick detach 4-in-1 loader with Euro hitch




QUICK
WALKTHROUGH
VIDEO



YANMAR ENGINE



HST PEDALS



LOADER JOYSTICK



OPERATOR AREA

SCAN FOR SPECIALS



YOU CAN DO SO MUCH MORE WITH A 4-IN-1

Tackle many jobs around the farm with a 4-in-1 bucket. One implement provides four functions to save you time and money:



- **Conventional Bucket** scoop for digging trenches, holes or moving earth and loose material such as gravel, sand, mulch and animal feed. Great for loading and unloading tasks.



- **Grab** for grappling green waste and carrying large stumps or other bulky material such as rocks, pallets, small bales or debris.
- **Blade** for pushing material and debris around.



- **Back Blade** allows for precise grading work, leveling and spreading loose material to even out the ground or create smooth gradients.



Overall, the versatility of a 4-in-1 loader bucket makes it a valuable tool for a wide range of applications in property maintenance, landscaping, farming, construction and many other industries.

T413 HST 4WD CABIN

 38.4 hp Yanmar diesel
  3000 RPM
  3 range HST
 27 km/h
  1565 kg tractor
  Auto PTO

- Yanmar engine, a global manufacturer for quality, reliability and support
- Auto throttle control
- 3 range hydrostatic transmission
- 3-point linkage with 1200 kg lift capacity @BE for a large range of attachments
- 4WD - simple and easy to use
- Flat operator's platform – unobstructed access
- Easy one piece bonnet opening for access to service points
- Quick detach 4-in-1 loader with Euro hitch



AUTO THROTTLE



YANMAR ENGINE



HST PEDALS



JOYSTICK CONTROL



OPERATOR AREA

SCAN FOR SPECIALS



HOW DOES T413 STACK UP?

THE BEST SPECIFICATIONS

ENGINE

Japanese diesel engine
 Horsepower
 Electric cruise
 Auto throttle
 Fuel tank capacity (litres)
 Integrated easy access fuel tank at rear side

TRANSMISSION - DRIVELINE

3 Range HST
 Side-by-side HST pedals
 Travel speed (km/h)
 Turning brakes on left hand side
 Industrial tyres standard
 Tractor weight (kg)

LINKAGE PTO HYDRAULICS

Hydraulic remotes
 Auto PTO function control
 Fully independent push button PTO
 3 P/L lift capacity @BE (kg)

ERGONOMICS

Standard with integrated joystick with trigger 3rd function control
 Adjustable steering column
 Rubber floor mat, 2 x rear mirrors & work light
 Over 1 metre wide operator's platform
 4-in-1 bucket with Euro hitch, tied to rear axle, grille guard, safety chocks
 Cabin option

	TYM T413 HST	KIOTI HST CK4210	JD 3038E	KUBOTA L3800HD
Japanese diesel engine	Yes 	No	Yes 	Yes 
Horsepower	38.4 	36	37 	36.4 
Electric cruise	Yes 	Yes 	Optional	Optional
Auto throttle	Yes 	Yes 	No	No
Fuel tank capacity (litres)	34	34	28.5	38 
Integrated easy access fuel tank at rear side	Yes 	Yes 	Yes 	No
3 Range HST	Yes 	Yes 	No	Yes 
Side-by-side HST pedals	Yes 	No	Yes 	No
Travel speed (km/h)	27 	23	24	22
Turning brakes on left hand side	Yes 	No	No	No
Industrial tyres standard	Yes 	Yes 	Optional	Optional
Tractor weight (kg)	1390 	1220	1053	1210
Hydraulic remotes	Yes 	Yes 	Optional	Optional
Auto PTO function control	Yes 	No	No	No
Fully independent push button PTO	Yes 	Live	Independent	Live
3 P/L lift capacity @BE (kg)	1200 	1050	946	906
Standard with integrated joystick with trigger 3 rd function control	Yes 	No	No	No
Adjustable steering column	Yes 	No	No	No
Rubber floor mat, 2 x rear mirrors & work light	Yes 	Optional	Optional	Optional
Over 1 metre wide operator's platform	Yes 	Yes 	No	No
4-in-1 bucket with Euro hitch, tied to rear axle, grille guard, safety chocks	Yes 	Yes 	Optional	Optional
Cabin option	Yes 	Yes 	No	No
And the top of the stack is....	21/22	9/22	3/22	3/22

Competitor Analysis E&OE

MID RANGE UTILITY TRACTORS

T503 ROPS WITH 4-IN-1 LOADER

-  50 hp Perkins diesel
-  2800 RPM
-  4 range
-  31.7 km/h
-  1710 kg tractor
-  Auto PTO

- 50 hp 4 cylinder Perkins engine, a global manufacturer for quality, reliability and support
- 16 forward x 16 reverse speeds
- Synchro Shuttle (SS) transmission for easy directional changes
- 3-point linkage with 1503 kg lift capacity @BE for a large range of attachments
- Available on AG or industrial tyres
- Easy bonnet opening for access to service points
- Quick detach 4-in-1 loader with Euro hitch
- Available in hydrostatic (HST) transmission option



PERKINS ENGINE



SHUTTLE SHIFT



HST OPTION



FLAT PLATFORM



QUICK
WALKTHROUGH
VIDEO



SCAN FOR SPECIALS

ONE MODEL, 4 CHOICES!

QUALITY-VALUE-EASY TO USE

The T503 is available in 4 choices.
Choose the model that best suits your needs.

I did a lot of research before buying... I didn't want a Chinese tractor... The TYM T503 certainly came out on top for value for money with a good reputation. It's made well with a Perkins engine.

Craig A, Somersby NSW

1 CABIN
SHUTTLE MANUAL

2 ROPS
SHUTTLE MANUAL

3 CABIN
HST

4 ROPS
HST



The TYM T503 has a range of attachments available including backhoe. Watch a quick walkthrough on the TYM BY85 Backhoe.

T503 CABIN WITH 4-IN-1 LOADER

-  50 hp Perkins diesel
-  2800 RPM
-  4 range
-  31.7 km/h
-  1900 kg tractor
-  Auto PTO

- 50 hp 4 cylinder Perkins engine, a global manufacturer for quality, reliability and support
- 16 forward x 16 reverse speeds
- Synchro Shuttle (SS) transmission for easy directional changes
- 3-point linkage with 1503 kg lift capacity @BE
- Air-conditioned cabin for comfort
- Available on AG or industrial tyres
- Quick detach 4-in-1 loader with Euro hitch
- **Available in hydrostatic (HST) transmission option**



PERKINS ENGINE



CABIN



HST OPTION



LOADER CONTROL

SCAN FOR SPECIALS



HOW DOES T503 STACK UP?

THE BEST SPECIFICATIONS

ENGINE

- Diesel engine make
- Horsepower
- 4 cylinder engine non-turbo
- 16 speed transmission with creeper
- Fuel tank capacity (litres)
- Integrated easy access fuel tank at front side

TRANSMISSION – DRIVELINE

- 4 range transmission
- Travel speed (km/h)
- Turning brakes on right hand side
- Tractor weight (kg)

LINKAGE PTO HYDRAULICS

- 2 sets of hydraulic remotes (4 outlets)
- Auto PTO function control
- Fully independent push button PTO
- Hydraulic system total flow (l/min)
- 3 P/L lift capacity @BE (kg)
- 3 P/L draft control
- Telescopic adjustable 3P/L lift arms
- Reverse warning safety alarm

ERGONOMICS

- Adjustable steering column
- Rubber floor mat, rear mirror & work light
- Fully flat, wide operator's platform over 1160 mm
- Standard with integrated joystick with trigger 3rd function control
- 4-in-1 bucket with Euro hitch, tied to rear axle, grille guard, safety chocks
- Cabin option

AND the top of the stack

TYM T503	KIOTI DK5320	JD 4044R	KUBOTA MX5200G
Perkins	Daedong	Yanmar	Kubota
50	50	43.1	51 ✓
Yes ✓✓✓	No	No	No
Yes ✓✓✓✓	No	No	No
60	45	49	48
Yes ✓✓✓✓	Yes ✓	No	No
Yes ✓	No	No	Yes ✓
31.7	33 ✓✓	32.8	25
Yes ✓✓	Yes ✓✓	No	No
1710	1605	1710 ✓	1642
Yes ✓✓✓	Optional	Optional	Optional
Yes ✓✓✓✓	Yes ✓✓	No	No
Yes ✓✓✓✓	Yes ✓✓	Yes ✓✓	No
55.7	55.1	60 ✓✓	54.4
1503	1232	1420	1500
Yes ✓✓✓✓	Yes ✓	Optional	Optional
Yes ✓✓✓✓	Optional	Yes ✓	Yes ✓
Yes ✓✓✓✓	Optional	Optional	Optional
Yes ✓✓✓	No	No	No
Yes ✓✓✓✓	Optional	Optional	Optional
Yes ✓✓✓✓✓	No	No	No
Yes ✓✓✓✓✓	No	No	No
Yes ✓✓✓✓✓	Yes ✓	Optional	Optional
Yes ✓✓✓✓	No	No	No
20/23	7/23	4/23	3/23

Competitor Analysis E&OE

UTILITY CABIN TRACTORS

T68 4WD POWER SHUTTLE CABIN

 67 hp Deutz diesel  2200 RPM  Power Shuttle

 39 km/h  2595 kg tractor  Auto PTO

- Deutz 4-cylinder diesel engine
- 67 horsepower
- 24 forward x 24 reverse speeds
- Power Shuttle for easier operation
- Shuttle modulation control
- De-clutch button
- 1937 kg 3-point linkage lift capacity @BE
- Bosch electronic 3-point linkage control
- Comfortable suspension seat with headrest
- Integrated joystick control of loader
- One piece bonnet opening for easy access



DEUTZ ENGINE



POWER SHUTTLE



CRUISE CONTROL



REMOTES

SCAN FOR SPECIALS




EXPERIENCE GERMAN ENGINEERING

Experience German engineering with our high-performance Deutz engines, delivering exceptional performance and efficiency.

Built with precision German engineering, Deutz engines offer high power and torque, even at low RPMs. Their longer lifespans and high reliability make them an ideal choice to boost productivity.

**Deutz 4-cylinder diesel engine.
TCD 2.9L turbo intercooled.
Tier 4 with DPF without AdBlue.
67 or 75hp / 2200 RPM.
RPM memory recall.**



T78 4WD POWER SHUTTLE CABIN

 75 hp Deutz diesel  2200 RPM  Power Shuttle

 39 km/h  2835 kg tractor  Auto PTO

- Deutz 4-cylinder diesel engine
- 75 horsepower
- 16 forward x 16 reverse speeds
- Power Shuttle for easier operation
- Shuttle modulation control
- De-clutch button
- 2320 kg 3-point linkage lift capacity @BE
- Bosch electronic 3-point linkage control
- Integrated joystick control of loader
- Comfortable suspension seat with headrest
- One piece bonnet opening for easy access



DEUTZ ENGINE



POWER SHUTTLE



CRUISE CONTROL



CONTROL PANEL

SCAN FOR SPECIALS



T1003 32/32 POWER SHUTTLE CABIN

 99.5 hp Perkins diesel  2200 RPM  Hi-Lo Power Shift

 40 km/h  3685 kg tractor  3 speed PTO

- 4.4 litre Perkins engine, a global name you know and trust
- 32 forward x 32 reverse speeds
- Power shift change on the go (Hi-Lo)
- Super smooth Power Shuttle
- Multidisc push button PTO
- Auto implement raise when reversing
- Forward speed display
- 3110 kg 3-point linkage lift capacity @BE
- Bosch power 3-point linkage lift
- Push button 3-point linkage raise and lower
- Soft ride dampener on 3-point linkage
- Auto and manual diff-lock control
- Integrated joystick control of loader
- Air seat



QUICK
WALKTHROUGH
VIDEO



PERKINS ENGINE



SPACIOUS CABIN



BOSCH LINKAGE



POWER SHUTTLE

SCAN FOR SPECIALS



PULL, PUSH AND LIFT MORE WITH TYM

To get more done you need more than just horsepower — you need strength and stability. With a heavier driveline, extra chassis weight, wider stance and generous tyres, TYM tractors deliver greater traction and control. Leading their class in build and capability, they put more power to the ground so you can tackle bigger jobs with ease. **Experience the TYM difference today!**



It's got all the power I need for the jobs around my farm. Maintenance is minimal and I've never had a problem. I'd certainly recommend TYM.

Garry P, Lisarow NSW

3 YEAR WARRANTY

The comprehensive TYM Warranty Plan gives peace of mind with bumper-to-bumper warranty for the first 2 years, or 1500 working hours, whichever comes first. Plus engine and drivetrain warranty for the 3rd year to 2000 working hours. TYM attachments have a 12 month warranty.

Refer to the TYM Warranty Terms manual for full details.



TYM TRACTORS IN AUSTRALIA



Inlon is an Australian owned company established in 1984, celebrating over 40 years of serving dealers and customers across Australia. Inlon is proud to be the exclusive Australian importer and distributor of TYM tractors.

The main TYM factory is based at a modern facility at Iksan in rural South Korea. TYM designs and develops tractors and machinery at its nearby R&D centre and has over 70 years of manufacturing experience for both its local market and exporting to north America, Europe, Asia, Africa and Australia. TYM offers a great range of tractors for the Australian market:

- Models from 19 to 130 horsepower
- A broad hydrostatic range from 19 to 60 horsepower in both ROPS and air-conditioned cabin models
- Manual transmission models from 38 to 100 horsepower
- Power shuttle models from 67 to 130 horsepower
- Power shift models from 100 to 130 horsepower
- Models are elegantly integrated with joystick control for front end loaders
- Comprehensive 3 year – 2000 hour TYM factory warranty plan



Your local TYM Dealer



**National TYM Sales Hotline
FREECALL 1800 896 000**

Contact us for your nearest dealer
17 Catamaran Rd, Ourimbah NSW 2258
(02) 4360 4000 mail@inlon.com.au

www.tym-tractors.com.au

TYMRB202510